

KUBATUROVÝ LIST

ZÁSYPY JAM PO PAŘEZECH ZEMINOU

Moutnický p., ř. km 6,265 - 7,833, Moutnice, Těšany,
oprava koryta a bet. objektu

Průměr	Jáma po pařezu	
Ø 10-30	0,5 x 0,7 x 0,7	0,25 m ³
Ø 30-50	0,5 x 1 x 1	0,50 m ³
Ø 50-70	0,7 x 1 x 1	0,70 m ³
Ø 70-90	1 x 1,2 x 1,2	1,44 m ³
Ø 90-110	1 x 1,5 x 1,5	2,25 m ³

číslo řezu	staničení	vzdál.
------------	-----------	--------

TRHANI PAREZU (KS)				
Ø 10-30	Ø 30-50	Ø 50-70	Ø 70-90	Ø 90-110

Objem jam (m ³)				
Ø 10-30	Ø 30-50	Ø 50-70	Ø 70-90	Ø 90-110

PF 01	6251	26,0
PF 01a	6277	17,0
PF 02	6294	30,0
PF 03	6324	30,0
PF 04	6354	35,0
PF 05	6389	33,0
PF 06	6422	28,0
PF 07	6450	57,0
PF 08	6507	30,0
PF 09	6537	35,0
PF 10	6572	38,0
PF 11	6610	50,0
PF 12	6660	31,0
PF 13	6691	15,0
PF 14	6706	9,0
PF 15	6715	21,0
PF 16	6736	23,0
PF 17	6759	

1				
1				
14	3			
1	3	3		
2	1			
24				
2				
21	3			

0,25				
0,25				
3,43	1,50			
0,25	1,50	2,10		
0,49	0,50			
5,88				
0,49				
5,15	1,50			

		36,0
PF 18	6795	
		33,0
PF 19	6828	
		37,0
PF 20	6865	
		42,0
PF 21	6907	
		35,0
PF 22	6942	
		40,0
PF 23	6982	
		43,0
PF 24	7025	
		32,0
PF 25	7057	
		35,0
PF 26	7092	
		32,0
PF 27	7124	
		33,0
PF 28	7157	
		40,0
PF 29	7197	
		41,0
PF 30	7238	
		36,0
PF 31	7274	
		26,0
PF 32	7300	
		9,0
PF 33	7309	
		26,0
PF 34	7335	
		21,0
PF 35	7356	
		45,0
PF 36	7401	
		12,0
PF 37	7413	
		12,0
PF 38	7425	
		9,0
PF 39	7434	
		2,0
PF 40	7436	
		40,0
PF 41	7476	
		36,0
PF 42	7512	
		25,0
PF 43	7537	
		34,0
PF 44	7571	
		24,0
PF 45	7595	

43				
25				
16				
13	3			
8				
5	3			
4	1		2	
32	2			
30	1			
9				
50				
34	3			
34				
6				
32	1			
35	2			
40	2			
2				
14	3			
4				
6				
1				

10,54				
6,13				
3,92				
3,19	1,50			
1,96				
1,23	1,50			
0,98	0,50		2,88	
7,84	1,00			
7,35	0,50			
2,21				
12,25				
8,33	1,50			
8,33				
1,47				
7,84	0,50			
8,58	1,00			
9,80	1,00			
0,49				
3,43	1,50			
0,98				
1,47				
0,25				

		25,0
PF 46	7620	
		7,0
PF 47	7627	
		9,0
PF 48	7636	
		9,0
PF 49	7645	
		12,0
PF 50	7657	
		18,0
PF 51	7675	
		26,0
PF 52	7701	
		24,0
PF 53	7725	
		27,0
PF 54	7752	
		23,0
PF 55	7775	
		19,0
PF 56	7794	
		14,0
PF 57	7808	
		20,5
PF 57a	7829	
		4,5
PF 58	7833	

--	--	--	--	--	--

--	--	--	--	--	--

--	--	--	--	--	--

--	--	--	--	--	--

--	--	--	--	--	--

--	--	--	--	--	--

4					
---	--	--	--	--	--

2					
---	--	--	--	--	--

--	--	--	--	--	--

--	--	--	--	--	--

5					
---	--	--	--	--	--

2					
---	--	--	--	--	--

--	--	--	--	--	--

--	--	--	--	--	--

Ø 10-30	Ø 30-50	Ø 50-70	Ø 70-90	Ø 90-110
522	31	3	2	0

--	--	--	--	--	--

--	--	--	--	--	--

--	--	--	--	--	--

--	--	--	--	--	--

--	--	--	--	--	--

--	--	--	--	--	--

0,98					
------	--	--	--	--	--

0,49					
------	--	--	--	--	--

--	--	--	--	--	--

--	--	--	--	--	--

1,23					
------	--	--	--	--	--

0,49					
------	--	--	--	--	--

--	--	--	--	--	--

--	--	--	--	--	--

Ø 10-30	Ø 30-50	Ø 50-70	Ø 70-90	Ø 90-110
128	16	2	3	0

CELKEM ZÁSYPY JAM PO PÁŘEZECH (m³):

148				
-----	--	--	--	--

KUBATUROVÝ LIST

ODSTRANĚNÍ SEDIMENTU

Moutnický p., ř. km 6,265 - 7,833, Moutnice, Těšany,
oprava koryta a bet. objektu

číslo řezu	staničení	vzdál.
PF 01	6251	
		26,0
PF 01a	6277	
		17,0
PF 02	6294	
		30,0
PF 03	6324	
		30,0
PF 04	6354	
		35,0
PF 05	6389	
		33,0
PF 06	6422	
		28,0
PF 07	6450	
		57,0
PF 08	6507	
		30,0
PF 09	6537	
		35,0
PF 10	6572	
		38,0
PF 11	6610	
		50,0
PF 12	6660	
		31,0
PF 13	6691	
		15,0
PF 14	6706	
		9,0
PF 15	6715	
		21,0
PF 16	6736	
		23,0
PF 17	6759	
		36,0
PF 18	6795	
		33,0
PF 19	6828	
		37,0
PF 20	6865	
		42,0
PF 21	6907	
		35,0
PF 22	6942	
		40,0
PF 23	6982	
		43,0

plocha	HMOTA
0,0	
	33,0
3,8	
	64,7
3,8	
	111,8
3,6	
	106,7
3,5	
	127,0
3,8	
	126,7
3,9	
	126,7
5,2	
	324,8
6,2	
	166,7
4,9	
	193,2
6,1	
	224,8
5,7	
	245,0
4,2	
	153,3
5,8	
	86,6
5,8	
	25,0
5,2	
	109,2
5,2	
	111,8
4,5	
	159,2
4,3	
	108,9
2,4	
	89,9
2,5	
	83,9
1,5	
	63,2
2,1	
	51,2
0,6	
	8,9

PF 24	7025	
		32,0
PF 25	7057	
		35,0
PF 26	7092	
		32,0
PF 27	7124	
		33,0
PF 28	7157	
		40,0
PF 29	7197	
		41,0
PF 30	7238	
		36,0
PF 31	7274	
		26,0
PF 32	7300	
		9,0
PF 33	7309	
		26,0
PF 34	7335	
		21,0
PF 35	7356	
		45,0
PF 36	7401	
		12,0
PF 37	7413	
		12,0
PF 38	7425	
		9,0
PF 39	7434	
		2,0
PF 40	7436	
		40,0
PF 41	7476	
		36,0
PF 42	7512	
		25,0
PF 43	7537	
		34,0
PF 44	7571	
		24,0
PF 45	7595	
		25,0
PF 46	7620	
		7,0
PF 47	7627	
		9,0
PF 48	7636	
		9,0
PF 49	7645	
		12,0
PF 50	7657	
		18,0
PF 51	7675	
		26,0

0,0	
	6,3
0,6	
	11,9
0,1	
	8,6
0,4	
	9,4
0,2	
	10,5
0,4	
	11,9
0,2	
	2,6
0,0	
	0,0
0,0	
	0,0
0,0	
	0,0
0,0	
	0,6
0,1	
	19,1
0,9	
	13,6
1,4	
	29,9
3,8	
	0,0
3,5	
	5,0
1,6	
	36,8
0,4	
	14,7
0,4	
	10,3
0,4	
	20,5
0,8	
	36,8
2,4	
	37,0
0,8	
	1,8
0,0	
	0,0
0,0	
	3,7
1,2	
	41,8
6,4	
	69,5
1,8	
	47,0

PF 52	7701		1,8	
		24,0		44,9
PF 53	7725		1,9	
		27,0		48,1
PF 54	7752		1,7	
		23,0		42,3
PF 55	7775		2,0	
		19,0		34,6
PF 56	7794		1,6	
		14,0		23,5
PF 57	7808		1,7	
		20,5		84,0
PF 57a	7829		7,1	
		4,5		22,7
PF 58	7833		3,3	
SEDIMENT CELKEM (m ³):				3651,7

KUBATUROVÝ LIST

VÝKOPY PRO ROVNANINU A DLAŽBU

Moutnický p., ř. km 6,265 - 7,833, Moutnice, Těšany,
oprava koryta a bet. objektu

číslo řezu staničení vzdál.			plocha	HMOTA
PF 01	6251		0,0	
		26,0		11,1
PF 01a	6277		1,3	
		17,0		21,8
PF 02	6294		1,3	
		30,0		38,4
PF 03	6324		1,3	
		30,0		38,6
PF 04	6354		1,3	
		35,0		45,0
PF 05	6389		1,3	
		33,0		42,5
PF 06	6422		1,3	
		28,0		36,0
PF 07	6450		1,3	
		57,0		73,4
PF 08	6507		1,3	
		30,0		38,6
PF 09	6537		1,3	
		35,0		45,0
PF 10	6572		1,3	
		38,0		48,9
PF 11	6610		1,3	
		50,0		64,4
PF 12	6660		1,3	
		31,0		39,9
PF 13	6691		1,3	
		15,0		19,3
PF 14	6706		1,3	
		9,0		0,0
PF 15	6715		1,3	
		21,0		27,0
PF 16	6736		1,3	
		23,0		29,6
PF 17	6759		1,3	
		36,0		46,3
PF 18	6795		1,3	
		33,0		42,5
PF 19	6828		1,3	
		37,0		47,6
PF 20	6865		1,3	
		42,0		54,1
PF 21	6907		1,3	
		35,0		45,0
PF 22	6942		1,3	
		40,0		51,5
PF 23	6982		1,3	
		43,0		55,3

PF 24	7025	
		32,0
PF 25	7057	
		35,0
PF 26	7092	
		32,0
PF 27	7124	
		33,0
PF 28	7157	
		40,0
PF 29	7197	
		41,0
PF 30	7238	
		36,0
PF 31	7274	
		26,0
PF 32	7300	
		9,0
PF 33	7309	
		26,0
PF 34	7335	
		21,0
PF 35	7356	
		45,0
PF 36	7401	
		12,0
PF 37	7413	
		12,0
PF 38	7425	
		9,0
PF 39	7434	
		2,0
PF 40	7436	
		40,0
PF 41	7476	
		36,0
PF 42	7512	
		25,0
PF 43	7537	
		34,0
PF 44	7571	
		24,0
PF 45	7595	
		25,0
PF 46	7620	
		7,0
PF 47	7627	
		9,0
PF 48	7636	
		9,0
PF 49	7645	
		12,0
PF 50	7657	
		18,0
PF 51	7675	
		26,0

1,3	
	34,1
0,9	
	36,6
1,2	
	34,2
0,9	
	26,6
0,7	
	32,7
0,9	
	34,4
0,8	
	24,3
0,6	
	5,1
0,0	
	2,7
0,9	
	22,7
0,8	
	21,5
1,2	
	58,1
1,4	
	16,4
1,4	
	16,2
8,0	
	71,9
8,0	
	2,6
1,3	
	51,9
1,3	
	46,7
1,3	
	32,5
1,3	
	44,1
1,3	
	31,2
1,3	
	32,5
1,3	
	9,1
1,3	
	0,0
2,7	
	24,9
2,8	
	0,0
2,1	
	30,1
1,3	
	33,5

PF 52	7701		1,3	
		24,0		30,9
PF 53	7725		1,3	
		27,0		34,7
PF 54	7752		1,3	
		23,0		29,6
PF 55	7775		1,3	
		19,0		24,5
PF 56	7794		1,3	
		14,0		18,0
PF 57	7808		1,3	
		11,0		14,2
PF 57x	7819		1,3	
		9,5		23,2
PF 57a	7829		3,8	
		4,5		22,1
PF 58	7833		6,1	
VÝKOP PRO ROVNANINU A DLAŽBU (m ³):				1913,5

VÝKOPY PRO PRAHY

ř. km 7,819; 7,660

POCET PRAHU	2
SIRKA PRAHU	0,6 m
PLOCHA V ŘEZU	5,01 m ²
VÝKOP 1 PRÁH	3,01 m ³
VÝKOP 2 PRAHŮ	6,01 m ³

ř. km 7,425; 7,434

POCET PRAHU	2
SIRKA PRAHU	0,6 m
PLOCHA V ŘEZU	10,3 m ²
VÝKOP 1 PRÁH	6,18 m ³
VÝKOP 2 PRAHŮ	12,36 m ³

CELKEM ZEMINA (ROV. + DL. + PRAHY) (m ³):	1931,9
---	--------

KUBATUROVÝ LIST

ZÁSYPY VÝKOPŮ ZEMINOU

Moutnický p., ř. km 6,265 - 7,833, Moutnice, Těšany,
oprava koryta a bet. objektu

číslo řezu	staničení	vzdál.
PF 01	6251	
		26,0
PF 01a	6277	
		17,0
PF 02	6294	
		30,0
PF 03	6324	
		30,0
PF 04	6354	
		35,0
PF 05	6389	
		33,0
PF 06	6422	
		28,0
PF 07	6450	
		57,0
PF 08	6507	
		30,0
PF 09	6537	
		35,0
PF 10	6572	
		38,0
PF 11	6610	
		50,0
PF 12	6660	
		31,0
PF 13	6691	
		15,0
PF 14	6706	
		9,0
PF 15	6715	
		21,0
PF 16	6736	
		23,0
PF 17	6759	
		36,0
PF 18	6795	
		33,0
PF 19	6828	
		37,0
PF 20	6865	
		42,0
PF 21	6907	
		35,0
PF 22	6942	
		40,0

plocha	HMOTA
0,0	
	3,1
0,4	
	6,0
0,4	
	10,6
0,4	
	10,6
0,4	
	12,3
0,4	
	11,6
0,4	
	9,9
0,4	
	20,1
0,4	
	10,6
0,4	
	12,3
0,4	
	13,4
0,4	
	17,6
0,4	
	10,9
0,4	
	5,3
0,4	
	0,0
0,4	
	7,4
0,4	
	8,1
0,4	
	12,7
0,4	
	11,6
0,4	
	13,0
0,4	
	14,8
0,4	
	12,3
0,4	
	14,1

PF 23	6982	
		43,0
PF 24	7025	
		32,0
PF 25	7057	
		35,0
PF 26	7092	
		32,0
PF 27	7124	
		33,0
PF 28	7157	
		40,0
PF 29	7197	
		41,0
PF 30	7238	
		36,0
PF 31	7274	
		26,0
PF 32	7300	
		9,0
PF 33	7309	
		26,0
PF 34	7335	
		21,0
PF 35	7356	
		45,0
PF 36	7401	
		12,0
PF 37	7413	
		12,0
PF 38	7425	
		9,0
PF 39	7434	
		2,0
PF 40	7436	
		40,0
PF 41	7476	
		36,0
PF 42	7512	
		25,0
PF 43	7537	
		34,0
PF 44	7571	
		24,0
PF 45	7595	
		25,0
PF 46	7620	
		7,0
PF 47	7627	
		9,0
PF 48	7636	
		9,0
PF 49	7645	
		12,0
PF 50	7657	
		18,0
PF 51	7675	

0,4	
	15,1
0,4	
	11,3
0,4	
	12,3
0,4	
	11,3
0,4	
	11,6
0,4	
	14,1
0,4	
	14,4
0,4	
	11,9
0,3	
	8,0
0,3	
	2,6
0,3	
	7,1
0,3	
	6,2
0,3	
	19,3
0,6	
	0,0
0,4	
	4,8
0,4	
	2,7
0,2	
	0,6
0,4	
	15,8
0,4	
	14,3
0,4	
	9,9
0,4	
	13,5
0,4	
	9,5
0,4	
	9,9
0,4	
	2,8
0,4	
	0,0
0,2	
	2,4
0,3	
	0,0
0,4	
	6,1
0,3	

		26,0			8,6
PF 52	7701		0,3		
		24,0			7,9
PF 53	7725		0,3		
		27,0			8,9
PF 54	7752		0,3		
		23,0			7,6
PF 55	7775		0,3		
		19,0			6,3
PF 56	7794		0,3		
		14,0			4,6
PF 57	7808		0,3		
		11,0			3,6
PF 57x	7819		0,3		
		9,5			2,4
PF 57a	7829		0,2		
		4,5			1,7
PF 58	7833		0,6		
ZÁSYPY VÝKOPŮ CELKEM (m ³):					535,4

KUBATUROVÝ LIST

KAMENNÉ ZDIVO NA CEM. MALTU

Moutnický p., ř. km 6,265 - 7,833, Moutnice, Těšany,
oprava koryta a bet. objektu

KAMENNÉ PRAHY

ř. km 7,819; 7,660

POCET PRAHU	2
SIRKA PRAHU	0,6 m
PLOCHA V ŘEZU	3,7 m ²
HMOTA 1 PRÁH	2,22 m ³
HMOTA 2 PRAHU	4,44 m ³

ř. km 7,425; 7,434

POCET PRAHU	2
SIRKA PRAHU	0,6 m
PLOCHA V ŘEZU	9,51 m ²
HMOTA 1 PRÁH	5,706 m ³
HMOTA 2 PRAHU	11,412 m ³

KAMENNÉ ZDIVO - PRAHY (m ³):	15,9
--	------

KUBATUROVÝ LIST

KAMENNÁ ROVNANINA

- LOMOVÝ KÁMEN 40 - 80 kg

Moutnický p., ř. km 6,265 - 7,833, Moutnice, Těšany,
oprava koryta a bet. objektu

číslo řezu	staničení	vzdál.
PF 01	6251	
		26,0
PF 01a	6277	
		17,0
PF 02	6294	
		30,0
PF 03	6324	
		30,0
PF 04	6354	
		35,0
PF 05	6389	
		33,0
PF 06	6422	
		28,0
PF 07	6450	
		57,0
PF 08	6507	
		30,0
PF 09	6537	
		35,0
PF 10	6572	
		38,0
PF 11	6610	
		50,0
PF 12	6660	
		31,0
PF 13	6691	
		15,0
PF 14	6706	
		9,0
PF 15	6715	
		21,0
PF 16	6736	
		23,0
PF 17	6759	
		36,0
PF 18	6795	
		33,0
PF 19	6828	
		37,0
PF 20	6865	
		42,0
PF 21	6907	
		35,0
PF 22	6942	
		40,0

plocha	HMOTA
0,0	
	8,2
0,9	
	16,1
0,9	
	28,4
0,9	
	28,4
0,9	
	33,1
0,9	
	31,2
0,9	
	26,5
0,9	
	53,9
0,9	
	28,4
0,9	
	33,1
0,9	
	35,9
0,9	
	47,3
0,9	
	29,3
0,9	
	14,2
0,9	
	0,0
0,9	
	19,9
0,9	
	21,8
0,9	
	34,1
0,9	
	31,2
0,9	
	35,0
0,9	
	39,7
0,9	
	33,1
0,9	
	37,8

PF 23	6982	
		43,0
PF 24	7025	
		32,0
PF 25	7057	
		35,0
PF 26	7092	
		32,0
PF 27	7124	
		33,0
PF 28	7157	
		40,0
PF 29	7197	
		41,0
PF 30	7238	
		36,0
PF 31	7274	
		26,0
PF 32	7300	
		9,0
PF 33	7309	
		26,0
PF 34	7335	
		21,0
PF 35	7356	
		45,0
PF 36	7401	
		12,0
PF 37	7413	
		12,0
PF 38	7425	
		9,0
PF 39	7434	
		2,0
PF 40	7436	
		40,0
PF 41	7476	
		36,0
PF 42	7512	
		25,0
PF 43	7537	
		34,0
PF 44	7571	
		24,0
PF 45	7595	
		25,0
PF 46	7620	
		7,0
PF 47	7627	
		9,0
PF 48	7636	
		9,0
PF 49	7645	
		15,0
PF 50a	7660	
		15,0

0,9	
	40,7
0,9	
	30,3
0,9	
	33,1
0,9	
	30,3
0,9	
	31,2
0,9	
	37,8
0,9	
	38,8
0,9	
	34,1
0,9	
	24,6
0,9	
	8,5
0,9	
	24,6
0,9	
	19,9
0,9	
	41,6
0,9	
	0,0
0,9	
	10,8
0,9	
	0,0
0,9	
	1,8
0,9	
	36,1
0,9	
	32,5
0,9	
	22,6
0,9	
	30,7
0,9	
	21,6
0,9	
	22,6
0,9	
	6,3
0,9	
	0,0
2,5	
	0,0
2,5	
	0,0
1,7	
	19,8

PF 51	7675		0,9	
		26,0		24,6
PF 52	7701		0,9	
		24,0		22,7
PF 53	7725		0,9	
		27,0		25,5
PF 54	7752		0,9	
		23,0		21,8
PF 55	7775		0,9	
		19,0		18,0
PF 56	7794		0,9	
		14,0		13,2
PF 57	7808		0,9	
		11,0		10,4
PF 57x	7819		0,9	
		14,0		4,4
PF 58	7833		0,0	
CELKEM LK 40-80 kg PRO ROV. (m ³):			1407,3	

KUBATUROVÝ LIST

KAMENNÁ DLAŽBA tl. 0,30 m

DO BETONU tl. 0,15 m

Moutnický p., ř. km 6,265 - 7,833, Moutnice, Těšany,
oprava koryta a bet. objektu

číslo řezu	staničení	vzdál.	Délka	PLOCHA
		12,0		0,0
PF 37	7413		0,0	
		12,0		0,0
PF 38	7425		9,8	
		9,0		88,1
PF 39	7434		9,8	
		2,0		0,0
PF 40	7436		0,0	
		40,0		0,0
PF 47	7627		0,0	
		9,0		14,8
PF 48	7636		4,9	
		9,0		44,4
PF 49	7645		4,9	
		7,0		0,0
PF 49a	7652		5,0	
		8,0		35,6
PF 50a	7660		4,0	
		41,0		54,1
PF 52	7701		0,0	
		24,0		0,0
PF 53	7725		0,0	
		14,0		0,0
PF 57	7808		0,0	
		11,0		0,0
PF 57x	7819		2,1	
		9,5		31,1
PF 57a	7829		4,6	
		4,5		38,0
PF 58	7833		13,0	
CELKEM KAMENNÁ DLAŽBA DO BET. (m ²):				268,0

VÝPIS KÁCENÝCH DŘEVIN

Moutnický p., ř. km 6,265 - 7,833, Moutnice, Těšany,
oprava koryta a bet. objektu

číslo řezu	staničení	vzdál.
------------	-----------	--------

PF 01	6251	
		26,0
PF 01a	6277	
		17,0
PF 02	6294	
		30,0
PF 03	6324	
		30,0
PF 04	6354	
		35,0
PF 05	6389	
		33,0
PF 06	6422	
		28,0
PF 07	6450	
		57,0
PF 08	6507	
		30,0
PF 09	6537	
		35,0
PF 10	6572	
		38,0
PF 11	6610	
		50,0
PF 12	6660	
		31,0
PF 13	6691	
		15,0
PF 14	6706	
		9,0
PF 15	6715	
		21,0
PF 16	6736	
		23,0
PF 17	6759	
		36,0
PF 18	6795	
		33,0
PF 19	6828	
		37,0
PF 20	6865	
		42,0
PF 21	6907	
		35,0
PF 22	6942	
		40,0

KÁCENÍ DŘEVIN (KS)					KEŘE (m ²)
Ø 10-30	Ø 30-50	Ø 50-70	Ø 70-90	Ø 90-110	

					24
1					3
1					15
					22
14	3				34
1	3	3			
					12
					38
2	1				310
24					130
2					
					6
					12
21	3				150
43					234
25					215
					105
16					245
13	3				280

PF 23	6982	
	43,0	
PF 24	7025	
	32,0	
PF 25	7057	
	35,0	
PF 26	7092	
	32,0	
PF 27	7124	
	33,0	
PF 28	7157	
	40,0	
PF 29	7197	
	41,0	
PF 30	7238	
	36,0	
PF 31	7274	
	26,0	
PF 32	7300	
	9,0	
PF 33	7309	
	26,0	
PF 34	7335	
	21,0	
PF 35	7356	
	45,0	
PF 36	7401	
	12,0	
PF 37	7413	
	12,0	
PF 38	7425	
	9,0	
PF 39	7434	
	2,0	
PF 40	7436	
	40,0	
PF 41	7476	
	36,0	
PF 42	7512	
	25,0	
PF 43	7537	
	34,0	
PF 44	7571	
	24,0	
PF 45	7595	
	25,0	
PF 46	7620	
	7,0	
PF 47	7627	
	9,0	
PF 48	7636	
	9,0	
PF 49	7645	
	12,0	
PF 50	7657	
	18,0	

8					280
5	3				224
4	1		2		210
32	2				224
30	1				264
9					260
50					287
34	3				216
34					182
6					21
32	1				
35	2				
40	2				
2					
14	3				165
4					62
6					62
1					25
					18
					5
					10
					54

PF 51	7675	
		26,0
PF 52	7701	
		24,0
PF 53	7725	
		27,0
PF 54	7752	
		23,0
PF 55	7775	
		19,0
PF 56	7794	
		14,0
PF 57	7808	
		20,5
PF 57a	7829	
		4,5
PF 58	7833	

CELKEM LISTNATÉ

CELKEM JEHLIČNATÉ

CELKEM

4					31
2					
5					
2					56
					164
					20
Ø 10-30	Ø 30-50	Ø 50-70	Ø 70-90	Ø 90-110	KEŘE (m ²)
522	31	3	2	0	
0	0	0	0	0	
522	31	3	2	0	4674