

# KUBATUROVÝ LIST ODSTRANĚNÍ SEDIMENTU

Pracký p., ř. km 1,933 - 2,536,  
Prace, oprava koryta

číslo řezu	staničení	vzdál.	plocha	HMOTA
PF 01	1933		0,0	
		17,0		0,0
PF 02	1950		0,0	
		19,0		0,0
PF 03	1969		0,0	
		20,0		0,0
PF 04	1989		0,0	
		11,0		0,0
PF 05	2000		0,0	
		9,0		0,0
PF 06	2009		0,0	
		19,0		0,0
PF 07	2028		0,0	
		19,0		0,0
PF 08	2047		0,0	
		18,0		0,0
PF 09	2065		0,0	
		21,0		0,0
PF 10	2086		0,0	
		22,0		0,0
PF 11	2108		0,0	
		22,0		0,0
PF 12	2130		0,0	
		25,0		0,0
PF 13	2155		0,0	
		21,0		0,0
PF 14	2176		0,0	
		17,0		0,0
PF 15	2193		0,0	
		20,0		0,0
PF 16	2213		0,0	
		21,0		0,0
PF 17	2234		0,0	
		14,0		0,0
PF 18	2248		0,0	
		18,0		0,0
PF 19	2266		0,0	
		33,0		0,0
PF 20	2299		0,0	
		7,0		0,0
PF 21	2306		0,0	
		23,0		0,0
PF 22	2329		0,0	
		30,0		0,0
PF 23	2359		0,0	
		14,0		0,3

PF 24a	2373		0,1	
		43,0		13,4
PF 25	2416		0,6	
		20,0		16,1
PF 26	2436		1,0	
		12,0		9,3
PF 27	2448		0,6	
		17,0		8,4
PF 28	2465		0,4	
		3,0		1,7
PF 28A	2468		0,7	
		6,0		6,1
PF 28B	2474		1,3	
		6,0		6,3
PF 29	2480		0,8	
		11,0		5,8
PF 29A	2491		0,3	
		3,0		0,9
PF 29B	2494		0,3	
		7,0		2,9
PF 30	2501		0,6	
		3,0		2,0
PF 30A	2504		0,8	
		7,0		4,1
PF 31	2511		0,4	
		25,0		14,8
PF 32	2536		0,8	
SEDIMENT CELKEM (m <sup>3</sup> ):				92,3

# KUBATUROVÝ LIST

## VÝKOPY PRO ROVNANINU A DLAŽBU

Pracký p., ř. km 1,933 - 2,536,

Prace, oprava koryta

číslo řezu	staničení	vzdál.	plocha	HMOTA
PF 01	1933		2,9	
		17,0		44,0
PF 02	1950		2,3	
		19,0		37,5
PF 03	1969		1,7	
		20,0		29,1
PF 04	1989		1,2	
		11,0		10,6
PF 05	2000		0,7	
		9,0		3,5
PF 06	2009		0,8	
		19,0		19,5
PF 07	2028		1,3	
		19,0		21,9
PF 08	2047		1,1	
		18,0		23,0
PF 09	2065		1,5	
		21,0		35,7
PF 10	2086		1,9	
		22,0		38,9
PF 11	2108		1,7	
		22,0		43,8
PF 12	2130		2,4	
		25,0		52,3
PF 13	2155		1,8	
		21,0		38,2
PF 14	2176		1,8	
		17,0		29,9
PF 15	2193		1,7	
		20,0		40,6
PF 16	2213		2,4	
		21,0		54,4
PF 17	2234		2,8	
		14,0		35,7
PF 18	2248		2,3	
		18,0		36,5
PF 19	2266		1,8	
		33,0		48,9
PF 20	2299		1,2	
		7,0		5,1
PF 21	2306		1,7	
		23,0		35,1
PF 22	2329		1,4	
		30,0		49,4
PF 23	2359		2,0	
		18,0		0,0

PF 24	2377		1,3	
		39,0		52,5
PF 25	2416		1,4	
		20,0		34,8
PF 26	2436		2,1	
		12,0		27,2
PF 27	2448		2,5	
		17,0		34,8
PF 28	2465		1,7	
		3,0		5,0
PF 28A	2468		1,7	
		6,0		10,2
PF 28B	2474		1,8	
		6,0		10,4
PF 29	2480		1,7	
		11,0		18,9
PF 29A	2491		5,4	
		3,0		16,8
PF 29B	2494		5,8	
		7,0		33,6
PF 30	2501		4,8	
		3,0		14,2
PF 30A	2504		4,7	
		7,0		20,6
PF 31	2511		1,5	
		25,0		50,8
PF 32	2536		2,6	

VÝKOPY PRO ROV. A DL. CELKEM (m <sup>3</sup> ):	1063,5
---	--------

## VÝKOPY PRO PRAHY

POČET PRAHU	13
ŠÍŘKA PRAHU	0,6 m
PLOCHA V ŘEZU	3,79 m <sup>2</sup>
VÝKOP 1 PRAH	2,274 m <sup>3</sup>
VÝKOP 13 PRAHŮ	29,562 m <sup>3</sup>

CELKEM ZEMINA (m <sup>3</sup> ):	1093,0
----------------------------------	--------

# KUBATUROVÝ LIST ZÁSYPY ZEMINOU

Pracký p., ř. km 1,933 - 2,536,  
Prace, oprava koryta

číslo řezu	staničení	vzdál.	plocha	HMOTA
PF 01	1933		0,4	
		17,0		6,0
PF 02	1950		0,4	
		19,0		6,8
PF 03	1969		0,4	
		20,0		8,0
PF 04	1989		0,4	
		11,0		4,3
PF 05	2000		0,4	
		9,0		3,7
PF 06	2009		0,5	
		19,0		9,0
PF 07	2028		0,5	
		19,0		7,7
PF 08	2047		0,4	
		18,0		6,3
PF 09	2065		0,4	
		21,0		7,4
PF 10	2086		0,4	
		22,0		7,7
PF 11	2108		0,4	
		22,0		7,7
PF 12	2130		0,4	
		25,0		7,4
PF 13	2155		0,2	
		21,0		6,0
PF 14	2176		0,3	
		17,0		5,1
PF 15	2193		0,3	
		20,0		6,3
PF 16	2213		0,4	
		21,0		7,4
PF 17	2234		0,4	
		14,0		5,5
PF 18	2248		0,4	
		18,0		7,1
PF 19	2266		0,4	
		33,0		11,6
PF 20	2299		0,4	
		7,0		2,5
PF 21	2306		0,4	
		23,0		7,3
PF 22	2329		0,3	
		30,0		8,6
PF 23	2359		0,3	
		17,0		4,3

PF 24a	2376		0,2	
		40,0		8,8
PF 25	2416		0,2	
		20,0		3,2
PF 26	2436		0,1	
		12,0		0,4
PF 27	2448		0,0	
		17,0		0,0
PF 28	2465		0,0	
		3,0		0,0
PF 28A	2468		0,0	
		6,0		0,5
PF 28B	2474		0,3	
		6,0		2,0
PF 29	2480		0,4	
		11,0		9,4
PF 29A	2491		1,4	
		3,0		4,2
PF 29B	2494		1,4	
		7,0		7,9
PF 30	2501		0,9	
		3,0		2,7
PF 30A	2504		0,9	
		7,0		6,4
PF 31	2511		0,9	
		25,0		15,1
PF 32	2536		0,3	
ZÁSYPY ZEMINOU CELKEM (m <sup>3</sup> ):			214,5	

## ZÁSYPY ZEMINOU PRO PRAHY

POČET PRAHU	13
SÍRKA PRAHU	0,6 m
PLOCHA V ŘEZU	1,34 m <sup>2</sup>
VÝKOP 1 PRAH	0,804 m <sup>3</sup>
VÝKOP 13 PRAHŮ	10,452 m <sup>3</sup>

CELKEM ZEMINA (m <sup>3</sup> ):	225,0
----------------------------------	-------

## ZÁSYP ŠTĚRKEM (PROTIMRAZOVÉ KLÍNY)

PF 29A	2491		0,7	
		3,0		2,1
PF 29B	2494		0,7	
		7,0		4,9
PF 30	2501		0,5	
		3,0		1,5
PF 30A	2504		0,5	

ZÁSPY ŠŤŤRKEM fr. 32-63 (m <sup>3</sup> ):	8,5
--	-----

# KUBATUROVÝ LIST

## KAMENNÉ ZDIVO NA CEM. MALTU

Pracký p., ř. km 1,933 - 2,536,  
Prace, oprava koryta

### KAMENNÉ PRAHY

POČET PRAHŮ	13
SÍRKA PRAHU	0,6 m
PLOCHA V ŘEZU	3,6 m <sup>2</sup>
HMOTA 1 PRAH	2,16 m <sup>3</sup>
HMOTA 13 PRAHŮ	28,08 m <sup>3</sup>

KAMENNÉ ZDIVO - PRAHY (m <sup>3</sup> ):	28,1
--	------

### OPĚRNÁ ZEĎ

#### Ř. KM 2,491 - 2,504

PF 29A	2491		1,3	
		3,0		4,0
PF 29B	2494		1,3	
		7,0		9,2
PF 30	2501		0,9	
		3,0		2,8
PF 30A	2504		1,0	

KAMENNÉ ZDIVO - OPĚRNÁ ZEĎ (m <sup>3</sup> ):	16,0
---	------

KAMENNÉ ZDIVO - CELKEM (m <sup>3</sup> ):	44,1
---	------



# KUBATUROVÝ LIST

## KAMENNÁ ROVNANINA

### - LOMOVÝ KÁMEN 40 - 80 kg

Pracký p., ř. km 1,933 - 2,536,  
Prace, oprava koryta

Číslo řezu    staničení    vzdál.			plocha    HMOTA	
PF 01	1933		1,4	
		17,0		24,3
PF 02	1950		1,4	
		19,0		27,2
PF 03	1969		1,4	
		20,0		28,6
PF 04	1989		1,4	
		11,0		15,7
PF 05	2000		1,4	
		9,0		6,4
PF 06	2009		1,4	
		19,0		27,2
PF 07	2028		1,4	
		19,0		27,2
PF 08	2047		1,4	
		18,0		25,7
PF 09	2065		1,4	
		21,0		30,0
PF 10	2086		1,4	
		22,0		31,5
PF 11	2108		1,4	
		22,0		31,5
PF 12	2130		1,4	
		25,0		35,8
PF 13	2155		1,4	
		21,0		30,0
PF 14	2176		1,4	
		17,0		24,3
PF 15	2193		1,4	
		20,0		28,6
PF 16	2213		1,4	
		21,0		30,0
PF 17	2234		1,4	
		14,0		20,0
PF 18	2248		1,4	
		18,0		25,7
PF 19	2266		1,4	
		33,0		47,2
PF 20	2299		1,4	
		7,0		5,0
PF 21	2306		1,4	
		23,0		32,9
PF 22	2329		1,4	
		30,0		42,9
PF 23	2359		1,4	

		14,0			0,0
PF 24	2373	43,0	1,4		61,5
PF 25	2416	20,0	1,4		0,0
PF 26	2436	12,0	0,0		0,0
PF 27	2448	17,0	0,0		0,0
PF 28	2465	3,0	0,0		0,0
PF 28A	2468	6,0	0,0		0,0
PF 28B	2474	6,0	0,0		0,0
PF 29	2480	11,0	0,0		0,0
PF 29A	2491	3,0	0,0		0,0
PF 29B	2494	7,0	0,0		0,0
PF 30	2501	3,0	0,0		0,0
PF 30A	2504	7,0	0,0		0,0
PF 31	2511	25,0	0,0		0,0
PF 32	2536		0,0		
CELKEM LK 40-80 kg PRO ROV. (m <sup>3</sup> ):					659,2

# KUBATUROVÝ LIST

## KAMENNÁ DLAŽBA tl. 0,30 m

### DO BETONU tl. 0,15 m

Pracký p., ř. km 1,933 - 2,536,  
Prace, oprava koryta

Číslo řezu    staničení    vzdál.			DELKA	PLOCHA
PF 25	2416		4,1	
		20,0		91,1
PF 26	2436		5,0	
		12,0		64,4
PF 27	2448		5,7	
		17,0		83,1
PF 28	2465		4,1	
		3,0		12,0
PF 28A	2468		3,9	
		6,0		28,3
PF 28B	2474		5,5	
		6,0		28,2
PF 29	2480		3,9	
		11,0		34,3
PF 29A	2491		2,3	
		3,0		7,0
PF 29B	2494		2,3	
		7,0		27,1
PF 30	2501		5,4	
		3,0		18,2
PF 30A	2504		6,7	
		7,0		42,0
PF 31	2511		5,3	
		25,0		148,5
PF 32	2536		6,6	
CELKEM KAMENNÁ DLAŽBA DO BET. (m <sup>2</sup> ):				584,3

# VÝPIS KÁCENÝCH DŘEVIN

Pracký p., ř. km 1,933 - 2,536,  
Prace, oprava koryta

číslo řezu	staničení	vzdál.
------------	-----------	--------

PF 01	1933	
		17,0
PF 02	1950	
		19,0
PF 03	1969	
		20,0
PF 04	1989	
		11,0
PF 05	2000	
		9,0
PF 06	2009	
		19,0
PF 07	2028	
		19,0
PF 08	2047	
		18,0
PF 09	2065	
		21,0
PF 10	2086	
		22,0
PF 11	2108	
		22,0
PF 12	2130	
		25,0
PF 13	2155	
		21,0
PF 14	2176	
		17,0
PF 15	2193	
		20,0
PF 16	2213	
		21,0
PF 17	2234	
		14,0
PF 18	2248	
		18,0
PF 19	2266	
		33,0
PF 20	2299	
		7,0
PF 21	2306	
		23,0
PF 22	2329	
		30,0
PF 23	2359	

KÁCENÍ DŘEVIN (KS)					KEŘE (m <sup>2</sup> )
Ø 10-30	Ø 30-50	Ø 50-70	Ø 70-90	Ø 90-110	

					22
					25
					34
					12
					4
3					19
					6
2					
4					9
2					6
					3
1					
					1
	1				6

		14,0
PF 24	2373	
		43,0
PF 25	2416	
		20,0
PF 26	2436	
		12,0
PF 27	2448	
		17,0
PF 28	2465	
		3,0
PF 28A	2468	
		6,0
PF 28B	2474	
		6,0
PF 29	2480	
		11,0
PF 29A	2491	
		3,0
PF 29B	2494	
		7,0
PF 30	2501	
		3,0
PF 30A	2504	
		7,0
PF 31	2511	
		25,0
PF 32	2536	

1					
					6
					5
					6
					14
					8

CELKEM LISTNATÉ

CELKEM JEHLIČNATÉ

CELKEM

13	1	0	0	0	
0	0	0	0	0	
13	1	0	0	0	186

# VÝPIS TRHANÝCH PAŘEZŮ

Pracký p., ř. km 1,933 - 2,536,  
Prace, oprava koryta

číslo řezu	staničení	vzdál.
------------	-----------	--------

PF 01	1933	
		17,0
PF 02	1950	
		19,0
PF 03	1969	
		20,0
PF 04	1989	
		11,0
PF 05	2000	
		9,0
PF 06	2009	
		19,0
PF 07	2028	
		19,0
PF 08	2047	
		18,0
PF 09	2065	
		21,0
PF 10	2086	
		22,0
PF 11	2108	
		22,0
PF 12	2130	
		25,0
PF 13	2155	
		21,0
PF 14	2176	
		17,0
PF 15	2193	
		20,0
PF 16	2213	
		21,0
PF 17	2234	
		14,0
PF 18	2248	
		18,0
PF 19	2266	
		33,0
PF 20	2299	
		7,0
PF 21	2306	
		23,0
PF 22	2329	
		30,0
PF 23	2359	

TRHANI PAŘEZU (KS)				
Ø 10-30	Ø 30-50	Ø 50-70	Ø 70-90	Ø 90-110

3				
2				
4				
2				
1				
	1			
		1		

		14,0						
PF 24	2373							
		43,0						
PF 25	2416							
		20,0						
PF 26	2436							
		12,0						
PF 27	2448							
		17,0						
PF 28	2465							
		3,0						
PF 28A	2468							
		6,0						
PF 28B	2474							
		6,0						
PF 29	2480							
		11,0						
PF 29A	2491							
		3,0						
PF 29B	2494							
		7,0						
PF 30	2501							
		3,0						
PF 30A	2504							
		7,0						
PF 31	2511							
		25,0						
PF 32	2536							

CELKEM	12	1	3	0	0
--------	----	---	---	---	---