

OPRAVA A VÝMĚNA ŽEBŘÍKŮ PK, M 1:20

Technical drawing of a rectangular box with dimensions and labels:

- Overall width: 800
- Overall height: 180
- Internal width: 500
- Internal height: 20
- Labels: 1, 2, 3, 4, 5, D1
- Dimensions: 400, 500, 800, 180, 20

Technical drawing of a mechanical part with dimensions and labels:

- Dimensions: 18, 25, 28, 22, 14, 484, 500, 512.
- Labels: 1, 2, 3.

Technical drawing of a rectangular plate with a central hole. The plate has a width of 70 and a height of 120. The central hole has a diameter of $14\phi 14$. The hole is positioned 35 units from the top and 35 units from the left edge. The drawing includes dimension lines and a leader line pointing to the hole.

Technical drawing of a door handle assembly. The drawing shows a side view of the handle with dimensions in millimeters (mm). The handle has a total width of 100 mm. The distance from the center of the handle to the edge of the door is 45 mm. The distance from the center of the handle to the edge of the door is 25 mm. The distance from the center of the handle to the edge of the door is 30 mm. The drawing also shows a detail of the handle mechanism, including a screw and a washer.

ŽEBŘÍK B
OCEL S23

POZICE	PROFIL (mm)	DÉLKA (mm)	ks/DÍL
1	L 50x8	3400	2
2	tyč ø25	512	11
3	PL 70x8	300	4

NEREZ A2-70			
4	ZAVÍTOVÁ TYČ M12	400	4
5	M12+PODLOŽKA		4
6	ZAVÍTOVÁ TYČ M12	550	náhrada úchytu
7	ŠROUB 12+PODL.+M12		náhrada úchytu


NEREZ 1.4301			
8	PL 100x8	100	náhrada úchyty

POL. 4 A POL. 6 KOTVENY CHEMICKOU KOTVOU M12
- PRŮMĚR VRTU 14 mm, HLOUBKA VRTU 400 mm,
VYPLNIT VHODNÝM CHEMICKÝM TMELEM.

TENTO VÝKRES NENAHRAZUJE DÍLENSKOU DOKUMENTACI!
DÉLKA ŽEBŘÍKU A JEHO UMÍSTĚNÍ BUDE PŘÍZPŮSOBENO SKUTEČNOSTI

poz.	název-rozměr	materiál	kusů	hmotnost (kg)
5, 7	SPOJOVACÍ MATERIÁL	A2-70		2.0
8	NÁHRADA ÚCHYTU PŮV. ŽEBŘÍKU	1.4301	50%	~ 6.0
6	ZÁVITOVÁ TYČ M12 - 550	A2-70	9	3.5
4	ZÁVITOVÁ TYČ M12 - 400	A2-70	4	1.5
1-3	OCELOVÁ KONSTRUKCE ŽEBŘÍKU	S235	1	70.0
	HMOTNOST CELKEM - 1KS			83.0

CELKEM DÍLU B - 8 ks

VYPRACOVAL		KONTROLOVAL	ING. M. KLIMEŠOVÁ Ph.D. Pilovská 379 190 16 Praha 9 tel.: 774 803 690			
ING. M. KLIMEŠOVÁ, Ph.D.						
MÍSTO	VD ŠTĚCHOVICE		INVESTOR	POVODÍ VLTAVY, státní podnik		
OKRES	PRAHA - ZÁPAD					
AKCE VD ŠTĚCHOVICE - OPRAVA ŽEBŘÍKŮ A ODRAZNÝCH TRÁMCŮ PK						
		ČÍSLO SMLOUVY		878/2021		
		ČÍSLO ZAKÁZKY		14/21		
		FORMÁT		4 x A4		
		DATUM		ZÁŘÍ 2021		
		STUPEŇ		DPS		
MĚŘÍTKO	VÝKRES			ČÍSLO PŘÍLOHY		Č. PARÉ
1:20	OPRAVA A VÝMĚNA ŽEBŘÍKŮ, ŽEBŘÍK B			D.3.		